

YelloPort

LAPAROSCOPIC PORT ACCESS SYSTEM

plus



Description

YelloPort plus is a responsible laparoscopic port access system that combines both single-use and reusable components to deliver the optimum procedure performance to cost ratio.

The obturator and cannula components are fully reusable and autoclavable to 134°C.

Single use valve/seals (Ø3 and Ø5mm) and SwingTops (Ø10, Ø12 and Ø16mm systems) are provided sterile packed for single use.

Patented SwingTop technology facilitates easy seal selection.

YelloPort plus is a 100% latex free responsible system.

Caution:

Product is manufactured under a quality system certified to ISO 9001 and ISO 13485 and complying with US FDA's Quality System regulations.

Federal law restricts this device to sale by or on the order of a physician.



S U R G I C A L
I N N O V A T I O N S
L I M I T E D

Surgical Innovations Limited,
Clayton Park, Clayton Wood Rise,
Leeds LS16 6RF, England.
Telephone: +44 (0)113 230 7597
Facsimile: +44 (0)113 274 4109
Email: si@surginno.co.uk
Website: www.yelloport.com



S U R G I C A L
I N N O V A T I O N S
L I M I T E D



DISTRIBUTED BY



YelloPort

LAPAROSCOPIC PORT ACCESS SYSTEM

5mm System

Part # 175-9001 Issue 1 CR1780



5mm System

YelloPort

+plus

LAPAROSCOPIC PORT ACCESS SYSTEM

5mm System - Features

- valve/seal sterile packed and lubricated
- single use valve/seal ensures optimum performance
- lightweight construction using advanced polymeric materials
- silicone valve technology for low friction and sealing performance
- dedicated lip seal minimises friction
- radio-translucent cannulae
- 'micro-thread' friction finish provides enhanced cannula retention in abdominal wall
- choice of luer, non luer or stopcock fitting
- reusable obturators and cannulae fully autoclavable to 134°C
- cap designed for easy instrument insertion

• Easily cleaned reusable elements

• Complete 5mm system

• Sterile packed lubricated valve/seal (single use)

• Cap designed for easy instrument insertion



Stopcock Variant



Pencil Point Variant



Luerlock Variant



Ergonomic Form



YelloPort

LAPAROSCOPIC PORT ACCESS SYSTEM



SwingTop System

SwingTop System

YelloPort

LAPAROSCOPIC PORT ACCESS SYSTEM

plus



- Lightweight reusable cannula

SwingTop System - Features

- SwingTop and valve sterile packed and lubricated
- single use SwingTop and valve ensures optimum performance
- colour coded seals for easy size indication
- lightweight construction using advanced polymeric materials
- silicone valve technology for low friction and sealing performance
- radio-translucent cannulae
- 'micro-thread' friction finish provides enhanced cannula retention in abdominal wall
- angled and chamfered distal portion helps to minimise insertion force
- reusable obturators and cannulae fully autoclavable to 134°C



- Complete SwingTop system

- Sterile packed lubricated valve & SwingTop unit ensure optimum performance (single use)




Integral Lip Seals



Locking Shielded Obturator



Sealing in Single Unit



- available in the following configurations
- 5 / 10 mm
 - 5 / 10 / 12 mm (shown above)
 - 5 / 10 / 16 mm

5mm System

SwingTop System

5mm Obturator Options

Pyramidal		Conical		Pencil Point		Blunt		Shielded	
Length	Product Code	Length	Product Code	Length	Product Code	Length	Product Code	Length	Product Code
55mm	YT0505501	55mm	YT0505502	55mm	YT0505503	55mm	YT0505504	55mm	-
70mm	YT0507001	70mm	YT0507002	70mm	YT0507003	70mm	YT0507004	70mm	YT0507005
95mm	YT0509501	95mm	YT0509502	95mm	YT0509503	95mm	YT0509504	95mm	YT0509505
150mm	YT0515001	150mm	YT0515002	150mm	YT0515003	150mm	YT0515004	150mm	YT0515005

5mm Cannulae Options

Length	Cannulae Options		
	- Luer	+ Luer	+ Stopcock
55mm	YC0505510	YC0505511	YC0505512
70mm	YC0507010	YC0507011	YC0507012
95mm	YC0509510	YC0509511	YC0509512
150mm	YC0515010	YC0515011	YC0515012
55mm	YC0505500	YC0505501	YC0505502
70mm	YC0507000	YC0507001	YC0507002
95mm	YC0509500	YC0509501	YC0509502
150mm	YC0515000	YC0515001	YC0515002

5mm Accessories

Valve/Seal (single use)	Luerlock Cap
YA05VSS	YALLC

SwingTop Obturator Options

Conical		Pencil Point		Blunt		Locking Shield		Dilating Pyramidal	
Length	Product Code	Length	Product Code	Length	Product Code	Length	Product Code	Length	Product Code
10mm									
105mm	YT1010502	105mm	YT1010503	105mm	YT1010504	105mm	YT1010506	105mm	YT1010507
150mm	YT1015002	150mm	YT1015003	150mm	YT1015004	150mm	YT1015006	150mm	YT1015007
12mm									
105mm	YT1210502	105mm	YT1210503	105mm	YT1210504	105mm	YT1210506	105mm	YT1210507
150mm	YT1215002	150mm	YT1215003	150mm	YT1215004	150mm	YT1215006	150mm	YT1215007
16mm									
105mm	-	105mm	YT1610503	105mm	-	105mm	-	105mm	-
150mm	-	150mm	YT1615003	150mm	-	150mm	-	150mm	-

SwingTop Unit Options

5 / 10 mm	5 / 10 / 12 mm	5 / 10 / 16 mm	
YA510STS	YA512STS	YA516STS	

SwingTop Cannulae Options

Length	Cannulae Options		
	10mm	12mm	16mm
105mm	YC1010522	YC1210522	YC1610522
150mm	YC1015022	YC1215022	YC1615022

SwingTop Fascia Adaptors

Length	Fascia Adaptors		
	Regular	Slimline	Seal
10mm	YA10SH	YA10NH	YA10HS05
12mm	YA12SH	YA12NH	YA12HS05